

# **ACTIROX** ABRASIVE GRAIN IN TOP SHAPE

The plus in grinding performance



# Made for metal. Made for experts. Made in Germany. **Developed for...**

# The plus in grinding performance

Practice has shown that **ACTIROX** abrasives have a higher abrasive performance than comparable conventional abrasives - with a consistent surface finish.

Achieve higher stock removal than expected with standard grit sizes without a rougher surface. A real plus for your grinding process.

Maximum stock removal rate thanks to geometrically shaped ceramic grain

Very short processing times thanks to faster grinding compared to conventional ceramic grain abrasives

**ALU-** Improved chip production – particularly when grinding aluminum

> Cool grinding with no discoloration and with a long service life

# Your grinding task

Deburring

۴

Beveling





**Removal of imperfections** 





Grinding of cast parts

Leveling of welded seams

**AF799** 

**Developed for...** 





Weld seam preparation











O for low to medium contact pressure • for medium to high contact pressure o also suitable for wet grinding

**TOP SIZE** grinding-active additional layer reduces the temperature in the grinding zone





AF733 NEW **Developed for...** 

AF979 NEW **Developed for...** 

# **VSM ACTIROX products**

			0	4.				Stock removal						Surface								
VSM Series	Rolls (max. width)	Wide belts	Narrow belts	Discs	Quick change	Backing	Grain technology	Features	20+	24+	36+	40+	50+	+09	+08	100+	120+	150+	180+	240+	320+	400+
AK890Y	58 in.	0	0		0	Cloth	VSM ACTIROX	🔻 TOP SIZE 🖒			+			+								Γ
AF733				٠		Fiber	VSM ACTIROX	ALU-X			+			+	+							
AF890				٠	•	Fiber	VSM ACTIROX	<b>TOP SIZE</b>			+			+	+							
AF979				٠		Fiber	VSM ACTIROX				+											
AF799				٠		Fiber	VSM ACTIROX				+			+	+							

#### Flexibility of the backing material (last letter of the series name):

Y very sturdy

# ACTROX

Grinding time

For years, VSM ceramic grain abrasives have been synonymous with high stock removal rates and a long service life: this is due to their unique self-sharpening effect.

**VSM ACTIROX** is the name of the latest generation of abrasives for optimal stock removal. Thanks to the geometrically shaped abrasive grains, it achieves aggressive and quick grinding for maximum stock removal.

Aligned abrasives grain

and faster grinding

placement for aggressive



The geometrically shaped ceramic abrasive grain



Enhanced grinding capacity and reduced temperature in the grinding area thanks to the VSM TOP SIZE grinding-active additional layer



The ALU-X additional layer significantly reduces chip adhesion during grinding of non-ferrous metals

# Abrasive grain in top shape – also available as a belt!



Maximum stock removal resulting in lower operating expenses



reduce strain on operators and machines.



removing sprues or weld seams.

breaks down in a defined manner and continuously produces new sharp cutting edges

- 3 reasons why **AK890Y** should be an essential part of your operation
  - Low to medium contact pressures minimize noise and vibrations, which helps
  - Faster grinding greatly reduces processing times even when deburring and



# For extreme applications

The new ACTIROX AF979 fiber disc is our secret weapon for all hard cases.

The heavy-duty variant of the proven AF799 offers even more than an extremely long service life. With its consistent stock removal rate, it is highly resilient, and even burnt edges on plasma-cut workpieces present no problem.

# **Case studies**

# Weld seam leveling, stainless steel



> Result: Significantly increased productivity, up to 70% more

# **Grinding of cast parts**



Result: 15% more stock removal compared to the previous

# **Processing of cut edges**



> Result: 50% more stock removal compared to the previou

Vorkpiece	Weld seam						
Material	Stainless steel						
Contact element	Back up pad, extra hard						
Speed	8,500 rpm						
Power	1,550 W						
eed	Manual						
Series	VSM ACTIROX AF890						
Disc diameter	5" x 7/8"						
Grit size	36+						
re workpieces are processed per shift							

Vorkpiece	Cast parts					
Material	Titanium alloy (ti al 6242)					
Contact wheel	Ø=14", 85° Shore A, 6:10 serration					
Cutting speed	11 m/s					
Feed	Manual					
Series	VSM ACTIROX AK890Y					
Belt dimensions	2 3/4 " x 138"					
Belt dimensions Grit size	2 3/4 " x 138" 36+					
Grit size	36+					

Workpiece	Plasma-cut components				
Material	S355JR				
Contact element	Back up pad, extra hard				
Speed	12,000 rpm				
Power	1,800 W				
Feed	Manual				
Series	VSM ACTIROX AF979				
Disc diameter	5 x 7/8"				
Grit size	36+				
us leading abrasive					

# From X-PERTS for X-PERTS

Would you like to find out more about ACTIROX, or request samples?

Call us at: 800 737 0176 Or send us an email: us.info@vsmabrasives.com

VSM

We impart expert knowledge and give comprehensive practical tips in our webinars and seminars:





# us.actirox.com



# **VSM – More than just three letters**

### VSM stands for competence, quality and customer service.

Few others understand grinding processes like we do. Not only do we grind every surface to precision, we also analyze the specific grinding applications of our customers so that we can always find the best, long-term solution. Process-related expertise is one of the distinguishing features of VSM.

# We know abrasives

VSM develops and produces all the main components such as backing fabrics, resin bonds and abrasive grains at its Hanover site. By doing so, we fulfill our high, selfimposed requirements in industrial, commercial and trade sectors. The continuous development of further grain compositions, their refinement and processing ensures that VSM remains one of the most experienced manufacturers of ceramic grain worldwide.

# **Application-based expertise**

We see all grinding processes of our customers as a challenge. A global network of VSM specialists provides expert advice wherever it is needed irrespective of

whether your company is large or small. Thanks to our close collaboration with machine manufacturers, cutting fluid experts and research institutes, we ensure that our customers can benefit from technological trends.

# We make our expertise available for you

The VSM Competence Center (CC) in Hanover provides an opportunity for product training, seminars and extensive application tests. Customer applications can be adjusted and results reviewed. This service from VSM reduces downtimes and productivity losses for our customers.

# Certified and recognized worldwide

VSM has been certified to ISO standard 9001:2008 as its basis for quality assurance for many years. In addition, it is a member of FEPA, oSa and the German Abrasives Association (VDS).



# **Closer to you**

### Europe

#### Germany (Headquarters)

VSM · Vereinigte Schmirgelund Maschinen-Fabriken AG Siegmundstraße 17 30165 Hanover, Germany T +49 511 3526 478 www.vsmabrasives.de

#### Hungary

VSM Abrasives Hungary Ltd. Leshegy út 31 2310 Szigetszentmiklós T + 36 24 519223 www.vsmabrasives.hu

#### Switzerland

PFERD-VSM (Schweiz) AG Zürichstr. 38 B 8306 Brüttisellen T +41 44 805 2828 www.pferd-vsm.ch

### Americas

Canada

VSM Abrasives Canada Inc. 2425 Wyecroft Road Unit #1 Oakville, Ontario, L6L 6R5 T +1 905 827 0005 www.vsmabrasives.ca

VSM Abrasives Corp. 1012 East Wabash St. O'Fallon, MO, 63366 T +1 636 272 7432 us.vsmabrasives.com

#### Czech Republic

VSM Abrasives s.r.o. River Garden, 5th Floor Rohanské nábřeží 678/23 18600 Praha T +420 277 015 300 www.vsmabrasives.cz

#### Poland

PFERD-VSM Sp. z o.o. UI. Polna 1A 62-025 Kostrzyn Wielkopolski T +48 61 8970 480 www.pferdvsm.pl

#### Turkey

#### STARCKE VSM VITEX Zimpara Teknolojisi Sanayi ve Dis Ticaret Ltd. Sti. AYOSB Gazi Bulvari 8. Sokak No: 5, Tuzla Istanbul

T +90 216 591 06 17 T +90 216 591 07 01 www.starckevsm.com

#### Latin America

#### VSM Abrasivos Latinoamérica S.A.S.

Carrera 9 No. 115-06 Edificio Tierra Firme Piso 17 Bogota, Colombia T +57 601 639 8489 M +57 316 8311705 www.vsmabrasiveslatinamerica.com

#### VSM Impavide S.A.S.

France

52 Avenue Marcel Paul 93297 Tremblay en France T +33 1 4151 0300 www.vsmabrasives.fr

#### Spain

#### **VSM · VITEX ABRASIVOS** IBERICA, S.A.U.

Ctra. de Molins de Rei, 79A Nave 8 08191 Rubí (Barcelona) T +34 93 697 3411 www.vsmabrasives.es

# Asia-Pacific

Singapore VSM Abrasives Asia Pacific Pte. Ltd. 4 Battery Road #25, Bank of China Building Singapore 049908 T +66 2 513 7441 www.vsmabrasives-apac.com

#### Thailand

#### VSM Abrasives Asia Pacific Pte. Ltd. **Thailand Representative Office** 444 Olympia Thai Tower, 13th FL

Ratchadaphisek Rd., Samsennok Huay Kwang, Bangkok 10310 T +66 2 513 7441 www.vsmabrasives-apac.com

### Visit our website: us.vsmabrasives.com

### Great Britain

VSM Abrasives Ltd. Unit 5, Joplin Court Sovereign Business Park, Crownhill Milton Keynes, MK8 0JP T +44 19 0831 0207 www.vsmabrasives.co.uk

#### Sweden

China

VSM Abrasives

(China) Co. Ltd.

Rooms 203/205, Building C,

District, Shanghai, P.R. China

www.vsmabrasives.com.cn

Postal Code: 201702

T +86 21 5976 2011

VSM Abrasives Sverige AB Stockholm Sweden M +46 73 077 70 32 www.vsmabrasives.se

VSM is a registered trademark of VSM · Vereinigte Schmirgel- und Maschinen-Fabriken AG, Hanover.

P/ARX/05.WW/03.25/us/1

VSM ·

echnical changes.

2

Subject 1